

MINITOMMY

FLOODLIGHT













LED floodlight with single or double lights made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for indoor and outdoor installations on wall and ceilings, in the ground or on spikes. Ring or eyelid cover versions available with no visible screws. Supplied as standard with TÜV approved, long-life and efficient **GU10 LED lamp included**. The floodlight is fully adjustable and it can tilt and turn at will. Insulation class II, Protection rating IP66.




Proiettore a LED a luce singola o doppia fabbricato in resina antiurto stabilizzata ai raggi UV inattaccabile da ruggine e corrosione. Idoneo per installazioni a parete, a soffitto, al suolo o su picchetto, sia in ambienti esterni che interni. Cover ad anello o a palpebra senza viti a vista. Fornito nella versione standard con inclusa lampadina a LED GU10 approvata TÜV di lunga durata ed elevata efficienza. Il proiettore è completamente regolabile e si può inclinare e orientare a piacimento. Classe di isolamento II, grado di protezione IP66.



1M1.001.U1L





MINITOMMY - COMPONENTS

IP 66




COVER with no visible screws made of shockproof resin material, UV-rays stabilized, rust and corrosion free. Ring or eyelid versions available.

COVER senza viti a vista in resina antiurto stabilizzata ai raggi UV inattaccabile da ruggine e corrosione. Disponibile nella versione ad anello o a palpebra.

DIFFUSER made of shockproof resin material (PC) complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambiance.

DIFFUSORE in resina antiurto (PC) completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.



Resin **BODY** suitable for the electrical devices fixation and resin **SUPPORT FORK** to allow a fully adjustable floodlight position.

CORPO in resina predisposto per il fissaggio degli accessori elettrici e **FORCELLA** di supporto per permettere l'orientamento del proiettore.

INSTALLATION ELEMENTS:

- ROTATION DISK for surface installation.
- SPIKE for in ground installation.
- CONNECTION FITTING for double lights version.

ELEMENTI DI FISSAGGIO:

- DISCO DI ROTAZIONE per l'installazione a parete.
- PICCHETTO per l'installazione nel terreno.
- SUPPORTO per la versione a luce doppia.

MINITOMMY



Dimensions and weight

Height: 127 mm
Width: 122 mm
Weight: 0,45 Kg

Moulded Colours:

Black Grey White

Diffuser PC:

Frosted
Blue Green Orange

GU10 LED

*ADD. SUFFIX



	3,5W	400 Lm	4000 K	.U1L
			3000 K	.U1R

LED LAMPS

More technical details about TÜV approved Fumagalli LED Lamps on page 512.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

Floodlight supplied as standard with TÜV approved, long-life and efficient **GU10 LED lamp** included. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GU10 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

MINITOMMY

FLOODLIGHT



1M1.001.U1L




3M1.001.U2L



1M1.000.LRU1L





MINITOMMY

1M1.000.U1L	3,5W	1M1.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 30
Kg 12,6
mc 0,092

MINITOMMY SPIKE

1M1.001.U1L	3,5W	1M1.001.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 30
Kg 13,8
mc 0,092

MINITOMMY 2L

3M1.000.U2L	2x3,5W	3M1.000.U2R
4000K	2 GU10 LED LAMPS INCLUDED	3000K

Pcs 18
Kg 16,2
mc 0,092

MINITOMMY 2L SPIKE

3M1.001.U2L	2x3,5W	3M1.001.U2R
4000K	2 GU10 LED LAMPS INCLUDED	3000K

Pcs 18
Kg 17
mc 0,092

MINITOMMY-EL

FLOODLIGHT




1M2.001.U1L



3M2.001.U2L





MINITOMMY-EL

1M2.000.U1L	3,5W	1M2.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 30
Kg 12,6
mc 0,092

MINITOMMY-EL SPIKE

1M2.001.U1L	3,5W	1M2.001.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 30
Kg 13,8
mc 0,092

MINITOMMY-EL 2L

3M2.000.U2L	2x3,5W	3M2.000.U2R
4000K	2 GU10 LED LAMPS INCLUDED	3000K

Pcs 18
Kg 16,2
mc 0,092

MINITOMMY-EL 2L SPIKE

3M2.001.U2L	2x3,5W	3M2.001.U2R
4000K	2 GU10 LED LAMPS INCLUDED	3000K

Pcs 18
Kg 17
mc 0,092