

COMPANY
BOLLARD
UP&DOWN
BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS
REFERENCES

CECI 90
IN-GROUND



DRIVE-OVER in-ground luminaries with no visible screws, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Round or square shape available with several cover versions. Supplied as standard with TÜV approved, long-life and efficient **GU10 LED lamp included**. Insulation class II, Protection rating IP67.



Apparecchio per incasso a terra CARRABILE e senza viti a vista, realizzato in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con forma quadrata o circolare in diverse versioni di cover. Fornito con inclusa lampadina a LED GU10 approvata TÜV, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP67.



1F1.000.U1L





CECI 90 - COMPONENTS



IP67




COVER with no visible screws made of shockproof resin material, UV rays stabilized, rust and corrosion free. Round or square design, 2 or 3 light versions available for a diffuse or directed light emission.



COVER senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile nelle versioni quadrata o ad anello, a 2 aperture e a 3 aperture per permettere un'emissione della luce diffusa o direzionata.

DIFFUSER made of high impact and high-pressure load resistant resin material (PC), complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambience.

DIFFUSORE in resina antiurto altamente resistente al carico (PC), completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.



HOUSING made of shockproof resin material, provided with double holes and double watertight cable glands for safe connecting cable.

CASSA realizzata in resina antiurto, provvista di doppi fori e doppio pressacavo a tenuta stagna, per consentire in maniera sicura l'ingresso e l'uscita delle connessioni elettriche.

INSTALLATION HOUSING made of shockproof resin material to be fixed into the ground before installing the luminaries.

CONTRO-CASSA in resina antiurto da fissare al suolo prima dell'installazione degli apparecchi.

CECI 90



Dimensions and weight

Installation housing depth: 127 mm
Diameter: Ø 92 mm
Weight: 0,35 Kg

Cover colours:

Black Grey


Diffuser PC:

Frosted
Blue Green Orange

GU10 LED

*ADD SUFFIX



	3,5 W	400 Lm	4000 K	.U1L
			3000 K	.U1R

In-ground supplied as standard with TÜV approved, long-life and efficient **GU10 LED lamp** included. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GU10 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.



3.5W 400 Lm = 50W HALOGEN
SAVE 92%

LED LAMPS




More technical details about TÜV approved Fumagalli LED Lamps on page 512.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

CECI 90
IN-GROUND





CECI 90

1F1.000.U1L	3,5W	1F1.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 40
Kg 13,7
mc 0,084

CECI 90-3L

1F3.000.U1L	3,5W	1F3.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 40
Kg 13,7
mc 0,084

CECI 90-2L

1F2.000.U1L	3,5W	1F2.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 40
Kg 13,7
mc 0,084

CECI 90-SQ

1F4.000.U1L	3,5W	1F4.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K

Pcs 40
Kg 13,7
mc 0,084